

LASCO[®]
Fittings, Inc.

Discount Codes	
03	Schedule 80 CPVC


Schedule 80 - CPVC Pressure Fittings

List Prices


Effective:
August 25, 2012
Revised September 2014

Schedule 80 CPVC

Why LASCO Recommends Sealant in Threaded Joints




Teflon tape, when compressed between male and female threads in PVC fittings joints, can cause deformation, leading to leakage, and possibly, to cracked female fittings.



Sealant, when compressed between threads, flows outward to achieve an effective seal against leakage in PVC fittings.

Flange Installation Data Gaskets and Bolts



1. Recommended Gaskets: full face $\frac{1}{8}$ " thick, elastomeric, 50-70 Shore A hardness
2. Bolt Threads should be well lubricated.
3. Nut and bolt threads should be free-running during assembly
4. Follow illustrated bolt-tightening sequence.
5. Always use full size flat washers with bolts and nuts.

NOTE: Flanges conform to ANSI B16.5, Class 150. Socket diameters conform to ASTM D-2467. Recommended working pressure: 150 psi @ 73.4°F. Flanges not NSF listed. Use primer and heavy bodied PVC cement.

Size	Bolt Circle Diameter	Number of Bolts	Bolt Size (UNC x Length)	Recommended Torque (Ft./Lbs.)
$\frac{1}{2}$	2.37	4	$\frac{1}{2}$ – 13 x $1\frac{1}{4}$	15-20
$\frac{3}{4}$	2.75	4	$\frac{1}{2}$ – 13 x $1\frac{5}{16}$	15-20
1	3.12	4	$\frac{1}{2}$ – 13 x 2	15-20
$1\frac{1}{4}$	3.50	4	$\frac{1}{2}$ – 13 x $2\frac{1}{4}$	15-20
$1\frac{1}{2}$	3.87	4	$\frac{1}{2}$ – 13 x $2\frac{3}{4}$	15-20
2	4.75	4	$\frac{5}{8}$ – 11 x 3	20-30
$2\frac{1}{2}$	5.50	4	$\frac{5}{8}$ – 11 x $3\frac{1}{4}$	20-30
3	6.00	4	$\frac{5}{8}$ – 11 x $3\frac{5}{8}$	20-30
4	7.50	8	$\frac{5}{8}$ – 11 x $3\frac{3}{4}$	20-30
5	8.50	8	$\frac{3}{4}$ – 10 x $3\frac{3}{4}$	25-35
6	9.50	8	$\frac{3}{4}$ – 10 x $4\frac{3}{8}$	33-50
8	11.75	8	$\frac{3}{4}$ – 10 x $4\frac{3}{8}$	33-50
10	14.25	12	$\frac{7}{8}$ – 9 x $4\frac{1}{2}$	53-75
12	17.00	12	$\frac{7}{8}$ – 9 x $4\frac{5}{8}$	53-75

Schedule 80 CPVC

KEY:

FPT.....Female Pipe Thread SP.....Spigot
 MPT.....Male Pipe Thread CTS.....Copper Tube Size
 SLIP.....Solvent Cement Socket IPS.....Iron Pipe Size



Slip x Slip x Slip

Tee				
Part No	Size (in)	Ctn Qty	Code	List Price
9801-005	1/2	25	03	14.16
9801-007	3/4	25	03	14.41
9801-010	1	25	03	17.67
9801-012	1 1/4	10	03	37.25
9801-015	1 1/2	10	03	42.67
9801-020	2	10	03	47.49
9801-025	2 1/2	5	03	120.92
9801-030	3	5	03	120.92
9801-040	4	5	03	160.91
9801-060	6	2	03	418.74
9801-080	8	2	03	1199.48



Slip x Slip x Slip

Reducing Tee				
Part No	Size (in)	Ctn Qty	Code	List Price
9801-101	3/4 x 3/4 x 1/2	25	03	31.59
9801-130	1 x 1 x 1/2	25	03	36.41
9801-131	1 x 1 x 3/4	25	03	36.41
9801-211	1 1/2 x 1 1/2 x 1	10	03	74.42
9801-249	2 x 2 x 1	10	03	88.65
9801-251	2 x 2 x 1 1/2	10	03	88.65
9801-291	2 1/2 x 2 1/2 x 1 1/2	5	03	101.80
9801-292	2 1/2 x 2 1/2 x 2	5	03	105.37
9801-334	3 x 3 x 3/4	5	03	153.03
9801-335	3 x 3 x 1	5	03	153.03
9801-338	3 x 3 x 2	5	03	180.88
9801-420	4 x 4 x 2	5	03	228.62
9801-422	4 x 4 x 3	5	03	228.62
9801-530	6 x 6 x 3	4	03	730.62
9801-532	6 x 6 x 4	2	03	645.69
9801-585	8 x 8 x 6	2	03	1185.29



Slip x Slip x CTS Slip

Hotel Transition Tee				
Part No	Size (in)	Ctn Qty	Code	List Price
9801-334CTS	3 IPS x 3 IPS x 3/4 CTS	5	03	155.89
9801-335CTS	3 IPS x 3 IPS x 1 CTS	5	03	155.89



Slip x Slip x FPT

Tee				
Part No	Size (in)	Ctn Qty	Code	List Price
9802-005	1/2	25	03	35.94
9802-007	3/4	25	03	47.93
9802-010	1	25	03	59.91



FPT x FPT x FPT

Tee				
Part No	Size (in)	Ctn Qty	Code	List Price
9805-003	3/8	25	03	31.45
9805-005	1/2	25	03	31.45
9805-007	3/4	25	03	45.34
9805-010	1	25	03	48.81
9805-012	1 1/4	10	03	49.09
9805-015	1 1/2	10	03	51.56



FPT x FPT x FPT



Slip x Slip



Slip x FPT



FPT x FPT



Slip x Slip

Tee (Cont.)

Part No	Size (in)	Ctn Qty	Code	List Price
9805-020	2	10	03	57.26
9805-025	2 1/2	5	03	281.52
9805-030	3	5	03	326.63
9805-040	4	5	03	773.80

90° EII

Part No	Size (in)	Ctn Qty	Code	List Price
9806-002	1/4	25	03	15.42
9806-005	1/2	25	03	6.04
9806-007	3/4	25	03	7.71
9806-010	1	25	03	12.25
9806-012	1 1/4	10	03	26.48
9806-015	1 1/2	10	03	29.55
9806-020	2	10	03	35.66
9806-025	2 1/2	5	03	82.11
9806-030	3	5	03	92.99
9806-040	4	5	03	167.44
9806-060	6	4	03	336.46
9806-080	8	2	03	823.36

90° EII

Part No	Size (in)	Ctn Qty	Code	List Price
9807-005	1/2	25	03	15.94
9807-007	3/4	25	03	18.73
9807-010	1	25	03	24.51
9807-012	1 1/4	10	03	35.94
9807-015	1 1/2	10	03	54.44
9807-020	2	10	03	69.88

90° EII

Part No	Size (in)	Ctn Qty	Code	List Price
9808-003	3/8	25	03	16.19
9808-005	1/2	25	03	9.40
9808-007	3/4	25	03	14.06
9808-010	1	25	03	19.73
9808-012	1 1/4	10	03	38.00
9808-015	1 1/2	10	03	40.89
9808-020	2	10	03	54.81

45° EII

Part No	Size (in)	Ctn Qty	Code	List Price
9817-002	1/4	25	03	22.92
9817-005	1/2	25	03	7.39
9817-007	3/4	25	03	10.67
9817-010	1	25	03	16.99
9817-012	1 1/4	10	03	33.33
9817-015	1 1/2	10	03	34.22
9817-020	2	10	03	38.38
9817-025	2 1/2	5	03	78.42

Schedule 80 CPVC

45° Ell (Cont.)				
Part No	Size (in)	Ctn Qty	Code	List Price
9817-030	3	5	03	100.78
9817-040	4	5	03	138.35
9817-060	6	4	03	426.20
9817-080	8	2	03	886.72



Slip x Slip

45° Ell				
Part No	Size (in)	Ctn Qty	Code	List Price
9819-003	3/8	25	03	21.53
9819-005	1/2	25	03	20.40
9819-007	3/4	25	03	22.41
9819-010	1	25	03	24.66
9819-012	1 1/4	10	03	42.13
9819-015	1 1/2	10	03	42.13
9819-020	2	10	03	55.62



FPT x FPT

Coupling				
Part No	Size (in)	Ctn Qty	Code	List Price
9829-002	1/4	25	03	16.41
9829-005	1/2	25	03	6.39
9829-007	3/4	25	03	8.92
9829-010	1	25	03	12.01
9829-012	1 1/4	10	03	17.99
9829-015	1 1/2	10	03	22.64
9829-020	2	10	03	26.32
9829-025	2 1/2	5	03	58.58
9829-030	3	5	03	63.64
9829-040	4	5	03	83.40
9829-060	6	5	03	196.43
9829-080	8	4	03	530.87



Slip x Slip

Reducer Coupling				
Part No	Size (in)	Ctn Qty	Code	List Price
9829-101	3/4 x 1/2	25	03	16.69
9829-130	1 x 1/2	25	03	23.82
9829-131	1 x 3/4	25	03	23.81
9829-168	1 1/4 x 1	10	03	54.52
9829-212	1 1/2 x 1 1/4	10	03	54.08
9829-251	2 x 1 1/2	10	03	71.52
9829-338	3 x 2	5	03	164.54
9829-422	4 x 3	5	03	196.28
9829-530	6 x 3	2	03	529.88
9829-532	6 x 4	2	03	445.88
9829-585	8 x 6	4	03	772.53



Slip x Slip

Coupling				
Part No	Size (in)	Ctn Qty	Code	List Price
9830-003	3/8	25	03	20.60
9830-005	1/2	25	03	16.99
9830-007	3/4	25	03	27.41
9830-010	1	25	03	31.12
9830-012	1 1/4	10	03	33.00
9830-015	1 1/2	10	03	35.45
9830-020	2	10	03	41.80



FPT x FPT



Slip x FPT

Female Adapter				
Part No	Size (in)	Ctn Qty	Code	List Price
9835-002	1/4	25	03	20.83
9835-005	1/2	25	03	10.32
9835-007	3/4	25	03	10.88
9835-010	1	25	03	25.17
9835-012	1 1/4	10	03	25.77
9835-015	1 1/2	10	03	30.02
9835-020	2	10	03	51.74
9835-025	2 1/2	5	03	99.24
9835-030	3	5	03	203.62
9835-040	4	5	03	338.93

Male Adapter				
Part No	Size (in)	Ctn Qty	Code	List Price
9836-005	1/2	25	03	8.24
9836-007	3/4	25	03	10.05
9836-010	1	25	03	16.94
9836-012	1 1/4	10	03	24.95
9836-015	1 1/2	10	03	33.74
9836-020	2	10	03	45.77
9836-025	2 1/2	5	03	124.78
9836-030	3	5	03	167.71
9836-040	4	5	03	283.52



MPT x Slip

Reducer Bushing (Flush Style)				
Part No	Size (in)	Ctn Qty	Code	List Price
9837-052	3/8 x 1/4	25	03	13.34
9837-072	1/2 x 1/4	25	03	13.34
9837-073	1/2 x 3/8	25	03	13.34
9837-101	3/4 x 1/2	25	03	6.82
9837-130	1 x 1/2	25	03	10.57
9837-131	1 x 3/4	25	03	10.57
9837-166	1 1/4 x 1/2	10	03	28.06
9837-167	1 1/4 x 3/4	10	03	28.06
9837-168	1 1/4 x 1	10	03	28.06
9837-209	1 1/2 x 1/2	10	03	31.73
9837-210	1 1/2 x 3/4	10	03	31.73
9837-211	1 1/2 x 1	10	03	31.73
9837-212	1 1/2 x 1 1/4	10	03	31.73
9837-247	2 x 1/2	10	03	40.95
9837-248	2 x 3/4	10	03	40.95
9837-249	2 x 1	10	03	40.95
9837-250	2 x 1 1/4	10	03	40.95
9837-251	2 x 1 1/2	10	03	40.95
9837-289	2 1/2 x 1	5	03	70.42
9837-291	2 1/2 x 1 1/2	10	03	49.86
9837-292	2 1/2 x 2	10	03	49.86
9837-337	3 x 1 1/2	5	03	75.98
9837-338	3 x 2	5	03	75.98
9837-339	3 x 2 1/2	5	03	75.98
9837-420	4 x 2	5	03	84.01
9837-421	4 x 2 1/2	5	03	84.01
9837-422	4 x 3	5	03	84.01
9837-532	6 x 4	5	03	178.97
9837-585	8 x 6	4	03	589.22



SP x Slip

Schedule 80 CPVC

KEY:

FPT.....Female Pipe Thread SP.....Spigot
 MPT.....Male Pipe Thread CTS.....Copper Tube Size
 SLIP.....Solvent Cement Socket IPS.....Iron Pipe Size



SP x FPT

Reducer Bushing (Flush Style)				
Part No	Size (in)	Ctn Qty	Code	List Price
9838-052	3/8 x 1/4	25	03	14.34
9838-072	1/2 x 1/4	25	03	14.34
9838-073	1/2 x 3/8	25	03	14.34
9838-101	3/4 x 1/2	25	03	7.42
9838-130	1 x 1/2	25	03	9.41
9838-131	1 x 3/4	25	03	9.41
9838-168	1 1/4 x 1	10	03	30.39
9838-209	1 1/2 x 1/2	10	03	37.43
9838-210	1 1/2 x 3/4	10	03	37.43
9838-211	1 1/2 x 1	10	03	37.43
9838-212	1 1/2 x 1 1/4	10	03	37.43
9838-247	2 x 1/2	10	03	51.45
9838-248	2 x 3/4	10	03	51.45
9838-249	2 x 1	10	03	51.45
9838-250	2 x 1 1/4	10	03	51.45
9838-251	2 x 1 1/2	10	03	51.45
9838-292	2 1/2 x 2	10	03	81.77
9838-338	3 x 2	5	03	182.27
9838-339	3 x 2 1/2	5	03	183.75
9838-420	4 x 2	5	03	371.41
9838-422	4 x 3	5	03	371.41



Slip



FPT



MPT

Reducer Bushing (Flush Style)				
Part No	Size (in)	Ctn Qty	Code	List Price
9839-101	3/4 x 1/2	25	03	9.13
9839-130	1 x 1/2	25	03	15.39
9839-131	1 x 3/4	25	03	15.39
9839-166	1 1/4 x 1/2	10	03	30.55
9839-167	1 1/4 x 3/4	10	03	30.55
9839-168	1 1/4 x 1	10	03	30.31
9839-210	1 1/2 x 3/4	10	03	36.79
9839-211	1 1/2 x 1	10	03	36.79
9839-212	1 1/2 x 1 1/4	10	03	36.51
9839-249	2 x 1	10	03	40.69
9839-250	2 x 1 1/4	10	03	40.69
9839-251	2 x 1 1/2	10	03	36.51
9839-292	2 1/2 x 2	10	03	97.82
9839-338	3 x 2	5	03	131.60
9839-420	4 x 2	5	03	226.13
9839-422	4 x 3	5	03	226.13



MPT x FPT



Slip

Cap (Cont.)				
Part No	Size (in)	Ctn Qty	Code	List Price
9847-020	2	10	03	28.92
9847-025	2 1/2	5	03	97.33
9847-030	3	5	03	106.67
9847-040	4	5	03	108.43
9847-060	6	5	03	358.80

Cap				
Part No	Size (in)	Ctn Qty	Code	List Price
9848-002	1/4	25	03	12.85
9848-003	3/8	25	03	12.85
9848-005	1/2	25	03	11.05
9848-007	3/4	25	03	18.27
9848-010	1	25	03	25.58
9848-012	1 1/4	10	03	45.61
9848-015	1 1/2	10	03	46.74
9848-020	2	10	03	67.33
9848-030	3	5	03	204.38
9848-040	4	5	03	296.89

Plug				
Part No	Size (in)	Ctn Qty	Code	List Price
9850-002	1/4	25	03	10.34
9850-005	1/2	25	03	8.98
9850-007	3/4	25	03	11.37
9850-010	1	25	03	18.71
9850-012	1 1/4	10	03	28.25
9850-015	1 1/2	10	03	23.44
9850-020	2	10	03	31.91
9850-030	3	5	03	58.01
9850-040	4	5	03	67.18

Flange (Solid Style)				
Part No	Size (in)	Ctn Qty	Code	List Price
9851-005	1/2	25	03	26.87
9851-007	3/4	25	03	27.49
9851-010	1	25	03	30.02
9851-012	1 1/4	10	03	36.64
9851-015	1 1/2	10	03	40.67
9851-020	2	10	03	49.23
9851-025	2 1/2	5	03	102.01
9851-030	3	5	03	106.67
9851-040	4	5	03	144.12
9851-060	6	5	03	245.51

Cap				
Part No	Size (in)	Ctn Qty	Code	List Price
9847-005	1/2	25	03	9.94
9847-007	3/4	25	03	14.16
9847-010	1	25	03	25.06
9847-012	1 1/4	10	03	27.41
9847-015	1 1/2	10	03	27.41



Slip

Flange (Solid Style)				
Part No	Size (in)	Ctn Qty	Code	List Price
9852-005	1/2	25	03	37.57
9852-007	3/4	25	03	45.56
9852-010	1	25	03	49.69
9852-012	1 1/4	10	03	68.99



FPT



FPT

Flange (Solid Style) (Cont.)				
Part No	Size (in)	Ctn Qty	Code	List Price
9852-015	1½	10	03	73.02
9852-020	2	10	03	74.37
9852-030	3	5	03	119.78
9852-040	4	5	03	186.21



Blind

Flange (Blind)				
Part No	Size (in)	Ctn Qty	Code	List Price
9853-015	1½	10	03	86.21
9853-020	2	10	03	90.57
9853-030	3	5	03	170.33
9853-040	4	5	03	230.72
9853-060	6	5	03	386.98
9853-080	8	5	03	717.85



Slip

Flange (Loose Ring)				
Part No	Size (in)	Ctn Qty	Code	List Price
9854-005	½	25	03	27.06
9854-007	¾	25	03	27.66
9854-010	1	25	03	30.21
9854-012	1¼	5	03	36.85
9854-015	1½	10	03	40.95
9854-020	2	10	03	49.59
9854-025	2½	5	03	102.73
9854-030FT	3	5	03	107.56
9854-040FT	4	5	03	145.25
9854-060FT	6	5	03	247.51
9854-080FT	8	2	03	744.72
9854-100FT	10	2	03	1792.81
9854-120FT	12	2	03	2690.18

FT Represents FiberTuff Ring.



SP

Flange (Loose Ring)				
Part No	Size (in)	Ctn Qty	Code	List Price
9856-010	1	25	03	38.14
9856-012	1¼	10	03	47.18
9856-015	1½	10	03	52.17
9856-020	2	10	03	73.02
9856-040	4	5	03	128.85
9856-060	6	2	03	281.40
9856-080	8	2	03	573.61



Slip

WYE				
Part No	Size (in)	Ctn Qty	Code	List Price
9875-020	2	10	03	113.85



Slip x Slip

Union (O-Ring Type)				
Part No	Size (in)	Ctn Qty	Code	List Price
9897-002	¼	10	03	41.15
9897-005	½	10	03	27.49
9897-007	¾	10	03	28.60
9897-010	1	10	03	34.33
9897-012	1¼	5	03	69.45
9897-015	1½	5	03	70.74
9897-020	2	5	03	117.24
9897-025	2½	5	03	191.78
9897-030	3	5	03	243.35
9897-040	4	1	03	307.36



FPT x FPT

Union (O-Ring Type)				
Part No	Size (in)	Ctn Qty	Code	List Price
9898-003	¾	10	03	46.26
9898-005	½	10	03	29.33
9898-007	¾	10	03	51.83
9898-010	1	10	03	71.47
9898-012	1¼	5	03	136.18
9898-015	1½	5	03	136.18
9898-020	2	5	03	153.93



Slip x FPT

Union (O-Ring Type)				
Part No	Size (in)	Ctn Qty	Code	List Price
9899-005	½	10	03	31.18
9899-007	¾	10	03	54.39
9899-010	1	10	03	75.07
9899-012	1¼	5	03	143.00
9899-015	1½	5	03	143.00
9899-020	2	5	03	161.67
9899-030	3	5	03	310.41



Viton

Union O-Ring (Current Style)				
Part No	Size (in)	Ctn Qty	Code	List Price
80115	½	1	02	2.47
80118	¾	1	02	2.74
80215	1	1	02	3.35
80221	1¼	1	02	5.76
80223	1½	1	02	6.34
80227	2	1	02	6.34
80235	3	1	02	14.40



Viton

Union O-Ring (Prior to 2004)				
Part No	Size (in)	Ctn Qty	Code	List Price
80213	½	1	02	2.47
80216	¾	1	02	2.74
80222	1	1	02	3.35
80225	1¼	1	02	5.76
80227	1½	1	02	6.34
80231	2	1	02	7.77
80240	3	1	02	14.40

Schedule 80 CPVC

Headquarters

414 Morgan Street
P.O. Box 116
Brownsville, TN 38012
731-772-3180 or 800-776-2756
Fax: 731-772-0835
Email: customerservice@lascofittings.com

Service Centers

CALIFORNIA

14820 Carmenita Road, Unit B
Norwalk, CA 90650
714-690-9679 / 800-995-2726
Fax: 714-736-1780
Email: warehouse80@lascofittings.com

COLORADO

5700 East 39th Avenue
Denver, CO 80207
303-575-6701 / 800-824-3675
Fax: 303-575-6706
Email: warehouse88@lascofittings.com

FLORIDA

6800 Kingspointe Parkway, Suite 400
Orlando, FL 32819-8588
407-206-5705 / 800-437-3155
Fax: 407-515-6542
Email: warehouse84@lascofittings.com

ILLINOIS

10350 Beaudin Blvd, Suite 800
Woodridge, IL 60517
630-597-0150 / 888-995-7414
Fax: 630-597-0156
Email: warehouse87@lascofittings.com

PENNSYLVANIA

325 Lasley Avenue
Wilkes Barre, PA 18706-1424
570-301-1170 / 800-882-5462
Fax: 570-301-1176
Email: warehouse82@lascofittings.com

TEXAS

1600 Kelly Blvd., Suite 130
Carrollton, TX 75006
972-417-0073 / 800-642-8104
Fax: 972-417-9733
Email: warehouse81@lascofittings.com

UTAH

1641 South 700 West
Salt Lake City, UT 84104
801-972-0659 / 800-833-3993
Fax: 801-972-0688
Email: warehouse89@lascofittings.com

WASHINGTON

7815 South 208th Street
212 Business Park, Bldg D-106
Kent, WA 98032
425-272-0990 / 888-285-2726
Fax: 425-272-0995
Email: warehouse85@lascofittings.com

Limited Warranty

LASCO Fittings, Inc. products are warranted to be free from manufacturing defects in materials and workmanship. They are warranted against rot, rust, and electrolytic corrosion for a period of three years from date of installation. If LASCO products prove defective due to manufacturing defects in material or workmanship during that period, the manufacturer will provide new replacement units of the same type and size. No remedy will be granted under this warranty if LASCO products are not used strictly in accordance with LASCO's directions with respect to use and storage or if the products have been modified in any way. THE MANUFACTURER'S LIABILITY UNDER EXPRESSED OR IMPLIED WARRANTY OR FOR ANY REASON IS LIMITED TO FURNISHING REPLACEMENT UNITS OR GRANTING A CREDIT FOR DEFECTIVE UNITS. NO LABOR EXPENSE OR CONSEQUENTIAL DAMAGES WILL BE PAID BY LASCO. THIS WARRANTY IS IN LIEU OF ALL OTHER GUARANTEES AND WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING BUT NOT LIMITED TO, WARRANTIES OF MERCHANTABILITY AND FITNESS FOR PURPOSE, EXCEPT FOR ANY WARRANTIES IMPLIED BY LAW FOR NONCOMMERCIAL CONSUMERS. ANY SUCH WARRANTIES ARE LIMITED TO THE DURATION OF THIS WRITTEN WARRANTY.

DO NOT USE LASCO FITTINGS FOR COMPRESSED AIR OR GASES.
DO NOT TEST PVC PIPING SYSTEMS WITH COMPRESSED AIR OR GASES.
DO NOT USE FITTINGS WITH LIQUIDS NOT RECOMMENDED BY LASCO.
MODIFICATIONS OF FITTINGS VOIDS THE WARRANTY.

STANDARDS AND SPECIFICATIONS – Schedule 80 CPVC

ASTM D 1784 – Rigid Poly (Vinyl Chloride) (PVC) Compounds and Chlorinated Poly (Vinyl Chloride) (CPVC) Compounds, Class 23447.

ASTM F 437 – Threaded Chlorinated Poly (Vinyl Chloride) (CPVC) Plastic Pipe Fittings, Schedule 80.

ASTM F 439 – Socket Type Chlorinated Poly (Vinyl Chloride) (CPVC) Plastic Pipe Fittings, Schedule 80.

MATERIAL – Fittings are produced from CPVC Type IV, Grade I.

O-Rings are produced from a Fluorocarbon Elastomer (VITON).

LISTINGS – NSF (National Sanitation Foundation) for potable water services.

Standard Terms and Conditions of Sale

1. Terms: 2% 35 days, net 45 days.
2. Freight: FOB LASCO warehouses. Prepaid on orders totaling \$1500 net for one shipment to single destination within the contiguous United States.
3. Minimum Order: \$100 net. Smaller orders billed at this minimum charge.
4. Claims for shipping errors must be made within 15 days to LASCO. Claims for damage or shortages should be directed promptly to the common carrier by the consignee.
5. Returns will be accepted only by prior authorization and if shipped freight prepaid. Returned merchandise subject to a MINIMUM 25% handling/restocking charge.
6. Pricing is subject to change without prior notice. However, prior notification will be given in the event of price changes in the period between order placement and scheduled shipment.
7. Offer to sell is not implied by possession of this or other LASCO price lists.