

Discount Codes	
02/B2	Schedule 80 through 8"
92	Schedule 80 10" and Larger

# Schedule 80 - PVC Pressure Fittings

**Includes**

- Schedule 80 - through 8"
- Schedule 80 - 10" and larger


**List Prices**

*Effective:*  
**August 25, 2012**  
*Revised September 2014*


# Notes

---

## Why LASCO Recommends Sealant in Threaded Joints




Teflon tape, when compressed between male and female threads in PVC fittings joints, can cause deformation, leading to leakage, and possibly, to cracked female fittings.



Sealant, when compressed between threads, flows outward to achieve an effective seal against leakage in PVC fittings.

## Flange Installation Data Gaskets and Bolts



1. Recommended Gaskets: full face  $\frac{1}{8}$ " thick, elastomeric, 50-70 Shore A hardness
2. Bolt Threads should be well lubricated.
3. Nut and bolt threads should be free-running during assembly
4. Follow illustrated bolt-tightening sequence.
5. Always use full size flat washers with bolts and nuts.

**NOTE:** Flanges conform to ANSI B16.5, Class 150. Socket diameters conform to ASTM D-2467. Recommended working pressure: 150 psi @ 73.4°F. Flanges not NSF listed. Use primer and heavy bodied PVC cement.

Size	Bolt Circle Diameter	Number of Bolts	Bolt Size (UNC x Length)	Recommended Torque (Ft./Lbs.)
$\frac{1}{2}$	2.37	4	$\frac{1}{2}$ - 13 x $1\frac{3}{4}$	15-20
$\frac{3}{4}$	2.75	4	$\frac{1}{2}$ - 13 x $1\frac{15}{16}$	15-20
1	3.12	4	$\frac{1}{2}$ - 13 x 2	15-20
$1\frac{1}{4}$	3.50	4	$\frac{1}{2}$ - 13 x $2\frac{1}{4}$	15-20
$1\frac{1}{2}$	3.87	4	$\frac{1}{2}$ - 13 x $2\frac{3}{4}$	15-20
2	4.75	4	$\frac{5}{8}$ - 11 x 3	20-30
$2\frac{1}{2}$	5.50	4	$\frac{5}{8}$ - 11 x $3\frac{1}{4}$	20-30
3	6.00	4	$\frac{5}{8}$ - 11 x $3\frac{5}{8}$	20-30
4	7.50	8	$\frac{5}{8}$ - 11 x $3\frac{3}{4}$	20-30
5	8.50	8	$\frac{3}{4}$ - 10 x $3\frac{3}{4}$	25-35
6	9.50	8	$\frac{3}{4}$ - 10 x $4\frac{3}{8}$	33-50
8	11.75	8	$\frac{3}{4}$ - 10 x $4\frac{3}{8}$	33-50
10	14.25	12	$\frac{7}{8}$ - 9 x $4\frac{1}{2}$	53-75
12	17.00	12	$\frac{7}{8}$ - 9 x $4\frac{5}{8}$	53-75

# Schedule 80

**KEY:**

FPT.....Female Pipe Thread      SP.....Spigot  
 MPT.....Male Pipe Thread      BSP.....British Standard  
 SLIP.....Solvent Cement Socket      Pipe Thread



Slip x Slip x Slip

Tee				
Part No	Size (in)	Ctn Qty	Code	List Price
801-002	1/4	25	02/B2	9.33
801-003	3/8	25	02/B2	9.33
801-005	1/2	25	02/B2	9.33
801-007	3/4	25	02/B2	9.77
801-010	1	25	02/B2	12.24
801-012	1 1/4	10	02/B2	33.57
801-015	1 1/2	10	02/B2	33.57
801-020	2	10	02/B2	41.97
801-025	2 1/2	5	02/B2	45.64
801-030	3	5	02/B2	57.04
801-040	4	5	02/B2	66.09
801-060	6	4	02/B2	225.66
801-080	8	2	02/B2	523.37



FPT x FPT x FPT



FPT x FPT x FPT

## Reducing Tee

Part No	Size (in)	Ctn Qty	Code	List Price
802-250	2 x 2 x 1 1/4	10	02/B2	34.57
802-251	2 x 2 x 1 1/2	10	02/B2	34.57
802-291	2 1/2 x 2 1/2 x 1 1/2	5	02/B2	74.64

## Tee

Part No	Size (in)	Ctn Qty	Code	List Price
805-002	1/4	25	02/B2	10.77
805-003	3/8	25	02/B2	10.77
805-005	1/2	25	02/B2	10.77
805-007	3/4	25	02/B2	11.99
805-010	1	25	02/B2	26.47
805-012	1 1/4	10	02/B2	28.06
805-015	1 1/2	10	02/B2	34.02
805-020	2	10	02/B2	36.57
805-025	2 1/2	5	02/B2	133.15
805-030	3	5	02/B2	139.06
805-040	4	5	02/B2	226.01

## 90° EII

Part No	Size (in)	Ctn Qty	Code	List Price
806-002	1/4	25	02/B2	3.31
806-003	3/8	25	02/B2	3.31
806-005	1/2	25	02/B2	3.31
806-007	3/4	25	02/B2	4.22
806-010	1	25	02/B2	6.82
806-012	1 1/4	10	02/B2	9.11
806-015	1 1/2	10	02/B2	9.76
806-020	2	10	02/B2	11.80
806-025	2 1/2	5	02/B2	27.59
806-030	3	5	02/B2	31.01
806-040	4	5	02/B2	47.16
806-060	6	4	02/B2	134.19
806-080	8	2	02/B2	369.86

## 90° EII

Part No	Size (in)	Ctn Qty	Code	List Price
807-005	1/2	25	02/B2	13.00
807-007	3/4	25	02/B2	15.29
807-010	1	25	02/B2	16.54
807-012	1 1/4	10	02/B2	19.07
807-015	1 1/2	10	02/B2	22.75
807-020	2	10	02/B2	29.47

## 90° EII

Part No	Size (in)	Ctn Qty	Code	List Price
808-002	1/4	25	02/B2	8.20
808-003	3/8	25	02/B2	8.20
808-005	1/2	25	02/B2	7.65
808-007	3/4	25	02/B2	9.53
808-010	1	25	02/B2	11.99
808-012	1 1/4	10	02/B2	12.92
808-015	1 1/2	10	02/B2	18.33
808-020	2	10	02/B2	20.64
808-025	2 1/2	5	02/B2	80.37
808-030	3	5	02/B2	129.60
808-040	4	5	02/B2	228.04



Slip x Slip x Slip

Reducing Tee				
Part No	Size (in)	Ctn Qty	Code	List Price
801-101	3/4 x 3/4 x 1/2	25	02/B2	7.14
801-130	1 x 1 x 1/2	25	02/B2	10.33
801-131	1 x 1 x 3/4	25	02/B2	10.33
801-168	1 1/4 x 1 1/4 x 1	15	02/B2	22.41
801-210	1 1/2 x 1 1/2 x 3/4	10	02/B2	22.41
801-211	1 1/2 x 1 1/2 x 1	10	02/B2	22.41
801-212	1 1/2 x 1 1/2 x 1 1/4	10	02/B2	22.41
801-247	2 x 2 x 1/2	10	02/B2	28.40
801-248	2 x 2 x 3/4	10	02/B2	28.40
801-249	2 x 2 x 1	10	02/B2	28.40
801-250	2 x 2 x 1 1/4	10	02/B2	28.40
801-251	2 x 2 x 1 1/2	10	02/B2	28.40
801-290	2 1/2 x 2 1/2 x 1 1/4	5	02/B2	37.05
801-291	2 1/2 x 2 1/2 x 1 1/2	5	02/B2	37.05
801-292	2 1/2 x 2 1/2 x 2	5	02/B2	37.05
801-337	3 x 3 x 1 1/2	5	02/B2	52.06
801-338	3 x 3 x 2	5	02/B2	52.06
801-420	4 x 4 x 2	5	02/B2	84.11
801-422	4 x 4 x 3	5	02/B2	84.11
801-530	6 x 6 x 3	5	02/B2	168.07
801-532	6 x 6 x 4	5	02/B2	225.66
801-580	8 x 8 x 3	1	02/B2	611.02
801-585*	8 x 8 x 6	2	02/B2	523.37

\*Sized with Bushing



Slip x Slip



Slip x FPT



FPT x FPT



Slip x Slip x FPT

Tee				
Part No	Size (in)	Ctn Qty	Code	List Price
802-005	1/2	25	02/B2	14.75
802-007	3/4	25	02/B2	19.07
802-010	1	25	02/B2	22.32
802-012	1 1/4	10	02/B2	23.85
802-015	1 1/2	5	02/B2	28.02
802-020	2	5	02/B2	34.57



Slip x Slip

22 1/2° EII				
Part No	Size (in)	Ctn Qty	Code	List Price
865-020	2	10	02/B2	32.71
865-030	3	5	02/B2	83.84

Note: Meets ASTM D-2467 socket and wall dimensions, but fitting pattern is not in D-2467. Working pressure rating of 150 p.s.i. Not NSF Standard 14 Listed.



Slip x Slip

30° EII				
Part No	Size (in)	Ctn Qty	Code	List Price
815-060	6	8	02/B2	241.95



Slip x Slip

45° EII				
Part No	Size (in)	Ctn Qty	Code	List Price
817-002	1/4	25	02/B2	11.83
817-003	3/8	25	02/B2	11.83
817-005	1/2	25	02/B2	6.22
817-007	3/4	25	02/B2	9.51
817-010	1	25	02/B2	14.25
817-012	1 1/4	10	02/B2	18.15
817-015	1 1/2	10	02/B2	21.47
817-020	2	10	02/B2	27.83
817-025	2 1/2	5	02/B2	58.42
817-030	3	5	02/B2	71.11
817-040	4	5	02/B2	128.06
817-060	6	4	02/B2	161.26
817-080	8	2	02/B2	349.63



Slip x Slip

Coupling				
Part No	Size (in)	Ctn Qty	Code	List Price
829-002	1/4	25	02/B2	9.57
829-003	3/8	25	02/B2	9.57
829-005	1/2	25	02/B2	5.98
829-007	3/4	25	02/B2	8.09
829-010	1	25	02/B2	8.32
829-012	1 1/4	10	02/B2	12.67
829-015	1 1/2	10	02/B2	13.66
829-020	2	10	02/B2	14.67
829-025	2 1/2	5	02/B2	36.11
829-030	3	5	02/B2	41.47
829-040	4	5	02/B2	51.93
829-060	6	5	02/B2	111.76
829-080	8	4	02/B2	152.09



Slip x Slip

Reducer Coupling				
Part No	Size (in)	Ctn Qty	Code	List Price
829-101	3/4 x 1/2	25	02/B2	7.32
829-131	1 x 3/4	25	02/B2	10.67
829-168	1 1/4 x 1	10	02/B2	21.67
829-210	1 1/2 x 3/4	25	02/B2	22.68
829-211	1 1/2 x 1	10	02/B2	28.02
829-212	1 1/2 x 1 1/4	10	02/B2	28.02
829-251	2 x 1 1/2	5	02/B2	25.58
829-338	3 x 2	5	02/B2	62.83
829-422	4 x 3	5	02/B2	118.37
829-532	6 x 4	5	02/B2	241.43
829-585	8 x 6	5	02/B2	731.23



FPT x FPT

45° EII				
Part No	Size (in)	Ctn Qty	Code	List Price
819-005	1/2	25	02/B2	12.27
819-007	3/4	20	02/B2	13.19
819-010	1	25	02/B2	16.56
819-012	1 1/4	10	02/B2	25.26
819-015	1 1/2	10	02/B2	31.76
819-020	2	10	02/B2	47.08
819-025	2 1/2	5	02/B2	93.16
819-030	3	5	02/B2	149.84
819-040	4	5	02/B2	215.02



FPT x FPT

Coupling				
Part No	Size (in)	Ctn Qty	Code	List Price
830-002	1/4	25	02/B2	7.17
830-005	1/2	25	02/B2	6.68
830-007	3/4	25	02/B2	9.55
830-010	1	25	02/B2	10.24
830-012	1 1/4	10	02/B2	12.67
830-015	1 1/2	10	02/B2	28.20
830-020	2	10	02/B2	29.60
830-025	2 1/2	5	02/B2	70.66
830-030	3	5	02/B2	82.86
830-040	4	5	02/B2	143.48



Slip x Slip  
x Slip x Slip

Cross				
Part No	Size (in)	Ctn Qty	Code	List Price
820-015	1 1/2	25	02/B2	81.39
820-020	2	4	02/B2	90.67
820-030	3	5	02/B2	154.20
820-040	4	3	02/B2	268.29



Slip x FPT

Female Adapter				
Part No	Size (in)	Ctn Qty	Code	List Price
835-002	1/4	25	02/B2	10.12
835-005	1/2	25	02/B2	5.60
835-007	3/4	25	02/B2	8.32
835-010	1	25	02/B2	12.26
835-012	1 1/4	10	02/B2	19.86
835-015	1 1/2	10	02/B2	24.35
835-020	2	10	02/B2	42.48
835-025	2 1/2	5	02/B2	67.07
835-030	3	5	02/B2	75.51
835-040	4	5	02/B2	129.77

# Schedule 80

**KEY:**

FPT.....Female Pipe Thread      SP.....Spigot  
 MPT.....Male Pipe Thread      BSP.....British Standard  
 SLIP.....Solvent Cement Socket      Pipe Thread



MPT x Slip

Male Adapter				
Part No	Size (in)	Ctn Qty	Code	List Price
836-005	1/2	25	02/B2	6.99
836-007	3/4	25	02/B2	7.71
836-010	1	25	02/B2	13.34
836-012	1 1/4	10	02/B2	15.60
836-015	1 1/2	10	02/B2	22.41
836-020	2	10	02/B2	32.41
836-025	2 1/2	5	02/B2	36.84
836-030	3	5	02/B2	40.89
836-040	4	5	02/B2	72.76



SP x Slip

Reducer Bushing (Flush Style)				
Part No	Size (in)	Ctn Qty	Code	List Price
837-052	3/8 x 1/4	25	02/B2	5.28
837-072	1/2 x 1/4	25	02/B2	5.28
837-073	1/2 x 3/8	25	02/B2	5.28
837-101	3/4 x 1/2	25	02/B2	1.92
837-130	1 x 1/2	25	02/B2	5.52
837-131	1 x 3/4	25	02/B2	5.52
837-166	1 1/4 x 1/2	10	02/B2	8.66
837-167	1 1/4 x 3/4	10	02/B2	8.66
837-168	1 1/4 x 1	10	02/B2	8.66
837-209	1 1/2 x 1/2	10	02/B2	11.80
837-210	1 1/2 x 3/4	10	02/B2	11.80
837-211	1 1/2 x 1	10	02/B2	11.80
837-212	1 1/2 x 1 1/4	10	02/B2	11.80
837-247	2 x 1/2	10	02/B2	16.81
837-248	2 x 3/4	10	02/B2	16.81
837-249	2 x 1	10	02/B2	16.81
837-250	2 x 1 1/4	10	02/B2	16.81
837-251	2 x 1 1/2	10	02/B2	16.81
837-289	2 1/2 x 1	10	02/B2	29.18
837-290	2 1/2 x 1 1/4	10	02/B2	29.18
837-291	2 1/2 x 1 1/2	10	02/B2	29.18
837-292	2 1/2 x 2	10	02/B2	29.18
837-335	3 x 1	5	02/B2	46.31
837-336	3 x 1 1/4	5	02/B2	46.31
837-337	3 x 1 1/2	5	02/B2	46.31
837-338	3 x 2	5	02/B2	46.31
837-339	3 x 2 1/2	5	02/B2	46.31
837-420	4 x 2	5	02/B2	64.12
837-421	4 x 2 1/2	5	02/B2	64.12
837-422	4 x 3	5	02/B2	64.12
837-528	6 x 2	5	02/B2	89.16
837-530	6 x 3	5	02/B2	89.16
837-532	6 x 4	5	02/B2	89.16
837-585	8 x 6	5	02/B2	216.88




SP x FPT

Reducer Bushing (Flush Style)				
Part No	Size (in)	Ctn Qty	Code	List Price
838-052	3/8 x 1/4	25	02/B2	5.28
838-072	1/2 x 1/4	25	02/B2	5.28
838-098	3/4 x 1/4	50	02/B2	3.49
838-101	3/4 x 1/2	25	02/B2	3.49
838-130	1 x 1/2	25	02/B2	5.52
838-131	1 x 3/4	25	02/B2	5.52
838-166	1 1/4 x 1/2	25	02/B2	11.20
838-167	1 1/4 x 3/4	10	02/B2	11.20
838-168	1 1/4 x 1	10	02/B2	11.20
838-209	1 1/2 x 1/2	10	02/B2	14.05
838-210	1 1/2 x 3/4	10	02/B2	14.05
838-211	1 1/2 x 1	10	02/B2	14.05
838-212	1 1/2 x 1 1/4	10	02/B2	14.05
838-247	2 x 1/2	10	02/B2	17.18
838-248	2 x 3/4	10	02/B2	17.18
838-249	2 x 1	10	02/B2	17.18
838-250	2 x 1 1/4	10	02/B2	17.18
838-251	2 x 1 1/2	10	02/B2	17.18
838-292	2 1/2 x 2	10	02/B2	36.36
838-338	3 x 2	5	02/B2	67.33
838-339	3 x 2 1/2	5	02/B2	67.33
838-420	4 x 2	5	02/B2	103.43
838-422	4 x 3	5	02/B2	103.43
838-532	6 x 4	5	02/B2	119.15



MPT x FPT

Reducer Bushing (Flush Style)				
Part No	Size (in)	Ctn Qty	Code	List Price
839-052	3/8 x 1/4	25	02/B2	12.05
839-072	1/2 x 1/4	25	02/B2	12.05
839-073	1/2 x 3/8	25	02/B2	12.05
839-098	3/4 x 1/4	25	02/B2	8.98
839-099	3/4 x 3/8	25	02/B2	8.98
839-101	3/4 x 1/2	25	02/B2	7.40
839-128	1 x 1/4	25	02/B2	14.51
839-129	1 x 3/8	25	02/B2	11.59
839-130	1 x 1/2	25	02/B2	11.59
839-131	1 x 3/4	25	02/B2	11.59
839-166	1 1/4 x 1/2	10	02/B2	12.29
839-167	1 1/4 x 3/4	10	02/B2	12.29
839-168	1 1/4 x 1	10	02/B2	12.29
839-209	1 1/2 x 1/2	10	02/B2	14.57
839-210	1 1/2 x 3/4	10	02/B2	14.57
839-211	1 1/2 x 1	10	02/B2	14.57
839-212	1 1/2 x 1 1/4	10	02/B2	14.57
839-247	2 x 1/2	10	02/B2	21.35
839-248	2 x 3/4	10	02/B2	21.35
839-249	2 x 1	10	02/B2	21.35
839-250	2 x 1 1/4	10	02/B2	21.35
839-251	2 x 1 1/2	10	02/B2	21.35
839-292	2 1/2 x 2	5	02/B2	28.92
839-337	3 x 1 1/2	5	02/B2	39.27
839-338	3 x 2	5	02/B2	39.27
839-339	3 x 2 1/2	5	02/B2	39.27
839-420	4 x 2	5	02/B2	79.27
839-422	4 x 3	5	02/B2	103.43



MPT x BSP

Reducer Bushing (Flush Style)				
Part No	Size (in)	Ctn Qty	Code	List Price
845-249	2 x 1	10	02/B2	21.82



Slip

Cap				
Part No	Size (in)	Ctn Qty	Code	List Price
847-002	1/4	25	02/B2	7.60
847-003	3/8	25	02/B2	7.60
847-005	1/2	25	02/B2	5.85
847-007	3/4	25	02/B2	6.17
847-010	1	25	02/B2	10.95
847-012	1 1/4	10	02/B2	13.22
847-015	1 1/2	10	02/B2	13.22
847-020	2	10	02/B2	26.11
847-025	2 1/2	5	02/B2	53.31
847-030	3	5	02/B2	62.38
847-040	4	5	02/B2	105.19
847-060	6	4	02/B2	261.68
847-080	8	4	02/B2	335.98



FPT

Cap				
Part No	Size (in)	Ctn Qty	Code	List Price
848-002	1/4	25	02/B2	7.32
848-003	3/8	25	02/B2	7.32
848-005	1/2	25	02/B2	7.32
848-007	3/4	25	02/B2	8.20
848-010	1	25	02/B2	10.33
848-012	1 1/4	10	02/B2	12.29
848-015	1 1/2	10	02/B2	14.05
848-020	2	10	02/B2	27.59
848-025	2 1/2	5	02/B2	55.19
848-030	3	5	02/B2	64.97
848-040	4	5	02/B2	114.41



SP

Plug				
Part No	Size (in)	Ctn Qty	Code	List Price
849-007	3/4	50	02/B2	6.09
849-010	1	50	02/B2	6.87
849-012	1 1/4	25	02/B2	8.77
849-015	1 1/2	10	02/B2	9.62
849-020	2	5	02/B2	12.73



MPT

Plug				
Part No	Size (in)	Ctn Qty	Code	List Price
850-002	1/4	25	02/B2	6.32
850-003	3/8	25	02/B2	6.32
850-005	1/2	25	02/B2	5.63
850-007	3/4	25	02/B2	5.85
850-010	1	25	02/B2	7.17
850-012	1 1/4	10	02/B2	10.57
850-015	1 1/2	10	02/B2	12.85
850-020	2	10	02/B2	13.19
850-025	2 1/2	5	02/B2	36.84
850-030	3	5	02/B2	42.99
850-040	4	5	02/B2	83.69



Slip

Flange (Solid Style)				
Part No	Size (in)	Ctn Qty	Code	List Price
851-005	1/2	25	02/B2	18.11
851-007	3/4	25	02/B2	19.35
851-010	1	25	02/B2	21.55
851-012	1 1/4	10	02/B2	22.18
851-015	1 1/2	10	02/B2	22.68
851-020	2	10	02/B2	30.19
851-025	2 1/2	5	02/B2	46.60
851-030	3	5	02/B2	51.45
851-040	4	5	02/B2	65.16
851-060	6	5	02/B2	102.45

See NOTE under "Flange Installation Data"



FPT

Flange (Solid Style)				
Part No	Size (in)	Ctn Qty	Code	List Price
852-005	1/2	25	02/B2	21.67
852-007	3/4	25	02/B2	25.39
852-010	1	25	02/B2	27.80
852-012	1 1/4	10	02/B2	38.33
852-015	1 1/2	10	02/B2	41.83
852-020	2	10	02/B2	42.78
852-025	2 1/2	5	02/B2	98.36
852-030	3	5	02/B2	101.24
852-040	4	5	02/B2	190.22

See NOTE under "Flange Installation Data"



Blind

Flange				
Part No	Size (in)	Ctn Qty	Code	List Price
853-005	1/2	5	02/B2	25.37
853-007	3/4	5	02/B2	30.24
853-010	1	5	02/B2	41.29
853-012	1 1/4	10	02/B2	50.68
853-015	1 1/2	5	02/B2	50.68
853-020	2	5	02/B2	75.73
853-025	2 1/2	5	02/B2	123.38
853-030	3	5	02/B2	148.88
853-040	4	5	02/B2	185.49
853-060	6	5	02/B2	225.39
853-080	8	5	02/B2	282.13

See NOTE under "Flange Installation Data"



Slip

Flange (Loose Ring)				
Part No	Size (in)	Ctn Qty	Code	List Price
854-005	1/2	5	02/B2	18.08
854-007	3/4	5	02/B2	19.34
854-010	1	5	02/B2	21.53
854-012	1 1/4	5	02/B2	22.17
854-015	1 1/2	5	02/B2	22.63
854-020	2	5	02/B2	30.14
854-025	2 1/2	5	02/B2	46.55
854-030FT	3	5	02/B2	51.43
854-040FT	4	5	02/B2	65.07
854-050FT	5	5	02/B2	102.36
854-060FT	6	5	02/B2	102.36
854-080FT	8	5	02/B2	166.68
854-100FT	10	2	02/B2	215.79
854-120FT	12	1	02/B2	232.66

FT Represents FiberTuff Ring.

See NOTE under "Flange Installation Data"

# Schedule 80



SP

Flange (Loose Ring)				
Part No	Size (in)	Ctn Qty	Code	List Price
856-005	1/2	25	02/B2	18.18
856-007	3/4	25	02/B2	19.48
856-010	1	5	02/B2	21.72
856-012	1 1/4	10	02/B2	22.40
856-015	1 1/2	5	02/B2	22.84
856-020	2	5	02/B2	30.37
856-025	2 1/2	5	02/B2	46.94
856-030FT	3	5	02/B2	51.85
856-040FT	4	5	02/B2	65.61
856-050FT	5	5	02/B2	102.35
856-060FT	6	5	02/B2	103.19
856-080FT	8	5	02/B2	184.61
856-100FT	10	2	02/B2	215.79
856-120FT	12	2	02/B2	232.66

FT Represents FiberTuff Ring.

See NOTE under "Flange Installation Data"



Slip x Slip

Union (O-Ring Type)				
Part No	Size (in)	Ctn Qty	Code	List Price
897-002	1/4	25	02/B2	22.91
897-003	3/8	25	02/B2	22.91
897-005	1/2	10	02/B2	12.00
897-007	3/4	10	02/B2	15.58
897-010	1	10	02/B2	17.77
897-012	1 1/4	5	02/B2	35.31
897-015	1 1/2	5	02/B2	39.99
897-020	2	5	02/B2	54.20
897-030	3	5	02/B2	100.93
897-040	4	4	02/B2	129.61

Pressure rated at 235 p.s.i. at 73°F. Unions are listed as NSF 61.



MPT x MPT

Reducing TBE Nipple				
Part No	Size (in)	Ctn Qty	Code	List Price
882-101	3/4 x 1/2	50	09/B9	1.46

See Nipple Price List (discounts will vary)



FPT x FPT

Union (O-Ring Type)				
Part No	Size (in)	Ctn Qty	Code	List Price
898-005	1/2	10	02/B2	14.22
898-007	3/4	10	02/B2	19.93
898-010	1	10	02/B2	26.48
898-012	1 1/4	5	02/B2	50.53
898-015	1 1/2	5	02/B2	62.57
898-020	2	5	02/B2	96.26
898-030	3	5	02/B2	244.18
898-040	4	4	02/B2	286.94

Pressure rated at 235 p.s.i. at 73°F. Unions are listed as NSF 61.



Slip x Slip x Slip

WYE				
Part No	Size (in)	Ctn Qty	Code	List Price
875-020	2	10	02/B2	101.21
875-040	4	4	02/B2	447.94
875-060	6	4	02/B2	550.66
875-080	8	1	02/B2	1107.40



Slip x FPT

Union (O-Ring Type)				
Part No	Size (in)	Ctn Qty	Code	List Price
899-005	1/2	10	02/B2	14.93
899-007	3/4	10	02/B2	20.88
899-010	1	10	02/B2	27.77
899-012	1 1/4	5	02/B2	53.05
899-015	1 1/2	5	02/B2	65.66
899-020	2	5	02/B2	101.09

Pressure rated at 235 p.s.i. at 73°F. Unions are listed as NSF 61.



Slip x Slip x Slip

Reducing WYE				
Part No	Size (in)	Ctn Qty	Code	List Price
876-420*	4 x 4 x 2	4	02/B2	476.83
876-422*	4 x 4 x 3	4	02/B2	476.83
876-528*	6 x 6 x 2	5	02/B2	519.19
876-530*	6 x 6 x 3	5	02/B2	519.19
876-532	6 x 6 x 4	5	02/B2	419.68
876-578*	8 x 8 x 2	1	02/B2	1448.65
876-580*	8 x 8 x 3	1	02/B2	1448.65
876-582	8 x 8 x 4	1	02/B2	1107.40
876-585*	8 x 8 x 6	1	02/B2	1351.33

\*Sized with Bushing.



Viton

Union O-Ring (Current Style)				
Part No	Size (in)	Ctn Qty	Code	List Price
80115	1/2	1	02/B2	2.47
80118	3/4	1	02/B2	2.74
80215	1	1	02/B2	3.35
80221	1 1/4	1	02/B2	5.76
80223	1 1/2	1	02/B2	6.34
80227	2	1	02/B2	6.34
80235	3	1	02/B2	14.40



Slip x MPT

Union (O-Ring Type)				
Part No	Size (in)	Ctn Qty	Code	List Price
896-005	1/2	10	02/B2	16.43
896-007	3/4	10	02/B2	17.36
896-010	1	10	02/B2	24.40
896-012	1 1/4	5	02/B2	47.36
896-015	1 1/2	5	02/B2	50.17
896-020	2	5	02/B2	61.36
896-030	3	5	02/B2	138.46
896-168	1 1/4 x 1	5	02/B2	64.58

Pressure rated at 235 p.s.i. at 73°F. Unions are listed as NSF 61.



Viton

Union O-Ring (Prior to 2004)				
Part No	Size (in)	Ctn Qty	Code	List Price
80213	1/2	1	02/B2	2.47
80216	3/4	1	02/B2	2.74
80222	1	1	02/B2	3.35
80225	1 1/4	1	02/B2	5.76
80227	1 1/2	1	02/B2	6.34
80231	2	1	02/B2	7.77
80240	3	1	02/B2	14.40



# Schedule 80 Large Diameter

**KEY:**

FPT.....Female Pipe Thread      SP.....Spigot  
MPT.....Male Pipe Thread        BSP.....British Standard  
SLIP.....Solvent Cement Socket      Pipe Thread



Slip x Slip x Slip

Tee				
Part No	Size (in)	Ctn Qty	Code	List Price
801-100	10	1	92	1729.11
801-120	12	1	92	2441.99



Slip x Slip x Slip

Reducing Tee				
Part No	Size (in)	Ctn Qty	Code	List Price
801-623*	10 x 10 x 3	1	92	1611.03
801-624*	10 x 10 x 4	1	92	1611.03
801-626*	10 x 10 x 6	1	92	1521.63
801-628*	10 x 10 x 8	1	92	1790.76
801-666*	12 x 12 x 6	1	92	2755.74
801-668*	12 x 12 x 8	1	92	2263.74
801-670*	12 x 12 x 10	1	92	3031.45

\*Sized with Bushing



Slip x Slip

90° EII				
Part No	Size (in)	Ctn Qty	Code	List Price
806-100	10	1	92	1655.26
806-120	12	1	92	2157.75



Slip x Slip

Reducer Coupling				
Part No	Size (in)	Ctn Qty	Code	List Price
829-619*	10 x 2	1	92	976.66
829-623*	10 x 3	1	92	907.19
829-624*	10 x 4	1	92	856.06
829-626*	10 x 6	1	92	986.60

\*Sized with Bushing



SP x Slip

Reducer Bushing				
Part No	Size (in)	Ctn Qty	Code	List Price
837-624*	10 x 4	1	92	603.87
837-626	10 x 6	1	92	509.51
837-628	10 X 8	1	92	509.51
837-666*	12 x 6	1	92	822.16
837-668	12 x 8	1	92	588.82
837-670	12 x 10	1	92	588.82

\*Sized with Bushing



Slip

Cap				
Part No	Size (in)	Ctn Qty	Code	List Price
847-100	10	1	92	343.69
847-120	12	1	92	515.79



Slip x Slip

11¼° EII				
Part No	Size (in)	Ctn Qty	Code	List Price
861-100	10	1	92	650.59
861-120	12	1	92	952.40

FABRICATED FROM PIPE



Slip x Slip

22½° EII				
Part No	Size (in)	Ctn Qty	Code	List Price
865-100	10	1	92	650.59
865-120	12	1	92	952.40

FABRICATED FROM PIPE



Slip x Slip

45° EII				
Part No	Size (in)	Ctn Qty	Code	List Price
817-100	10	1	92	1100.75
817-120	12	1	92	1419.89



Slip x Slip

Coupling				
Part No	Size (in)	Ctn Qty	Code	List Price
829-100	10	1	92	522.01
829-120	12	1	92	601.61

# Notes

---



# Schedule 80

## Headquarters

414 Morgan Street  
P.O. Box 116  
Brownsville, TN 38012  
731-772-3180 or 800-776-2756  
Fax: 731-772-0835  
Email: customerservice@lascofittings.com

## Service Centers

### CALIFORNIA

14820 Carmenita Road, Unit B  
Norwalk, CA 90650  
714-690-9679 / 800-995-2726  
Fax: 714-736-1780  
Email: warehouse80@lascofittings.com

### COLORADO

5700 East 39th Avenue  
Denver, CO 80207  
303-575-6701 / 800-824-3675  
Fax: 303-575-6706  
Email: warehouse88@lascofittings.com

### FLORIDA

6800 Kingspointe Parkway, Suite 400  
Orlando, FL 32819-8588  
407-206-5705 / 800-437-3155  
Fax: 407-515-6542  
Email: warehouse84@lascofittings.com

### ILLINOIS

10350 Beaudin Blvd, Suite 800  
Woodridge, IL 60517  
630-597-0150 / 888-995-7414  
Fax: 630-597-0156  
Email: warehouse87@lascofittings.com

### PENNSYLVANIA

325 Lasley Avenue  
Wilkes Barre, PA 18706-1424  
570-301-1170 / 800-882-5462  
Fax: 570-301-1176  
Email: warehouse82@lascofittings.com

### TEXAS

1600 Kelly Blvd., Suite 130  
Carrollton, TX 75006  
972-417-0073 / 800-642-8104  
Fax: 972-417-9733  
Email: warehouse81@lascofittings.com

### UTAH

1641 South 700 West  
Salt Lake City, UT 84104  
801-972-0659 / 800-833-3993  
Fax: 801-972-0688  
Email: warehouse89@lascofittings.com

### WASHINGTON

7815 South 208th Street  
212 Business Park, Bldg D-106  
Kent, WA 98032  
425-272-0990 / 888-285-2726  
Fax: 425-272-0995  
Email: warehouse85@lascofittings.com

Printed in U.S.A.  
L12-80P 8/12  
©2012 LASCO Fittings, Inc.

## Limited Warranty

LASCO Fittings, Inc. products are warranted to be free from manufacturing defects in materials and workmanship. They are warranted against rot, rust, and electrolytic corrosion for a period of three years from date of installation. If LASCO products prove defective due to manufacturing defects in material or workmanship during that period, the manufacturer will provide new replacement units of the same type and size. No remedy will be granted under this warranty if LASCO products are not used strictly in accordance with LASCO's directions with respect to use and storage or if the products have been modified in any way. THE MANUFACTURER'S LIABILITY UNDER EXPRESSED OR IMPLIED WARRANTY OR FOR ANY REASON IS LIMITED TO FURNISHING REPLACEMENT UNITS OR GRANTING A CREDIT FOR DEFECTIVE UNITS. NO LABOR EXPENSE OR CONSEQUENTIAL DAMAGES WILL BE PAID BY LASCO. THIS WARRANTY IS IN LIEU OF ALL OTHER GUARANTEES AND WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING BUT NOT LIMITED TO, WARRANTIES OF MERCHANTABILITY AND FITNESS FOR PURPOSE, EXCEPT FOR ANY WARRANTIES IMPLIED BY LAW FOR NONCOMMERCIAL CONSUMERS. ANY SUCH WARRANTIES ARE LIMITED TO THE DURATION OF THIS WRITTEN WARRANTY.

DO NOT USE LASCO FITTINGS FOR COMPRESSED AIR OR GASES.  
DO NOT TEST PVC PIPING SYSTEMS WITH COMPRESSED AIR OR GASES.  
DO NOT USE FITTINGS WITH LIQUIDS NOT RECOMMENDED BY LASCO.  
MODIFICATIONS OF FITTINGS VOIDS THE WARRANTY.

## STANDARDS AND SPECIFICATIONS – Schedule 80

ASTM D-1784 – Rigid Poly (Vinyl Chloride) (PVC) Compounds and Chlorinated Poly (Vinyl Chloride) (CPVC) Compounds.

ASTM D-2464 – Threaded Poly (Vinyl Chloride) (PVC) Plastic Pipe Fittings, Schedule 80.

ASTM D-2467 – Socket Type Poly (Vinyl Chloride) (PVC) Plastic Pipe Fittings, Schedule 80.

ASTM F-1970 – Standard Specification for Special Engineered Fittings, Appurtenances or Valves for use in Poly (Vinyl Chloride) (PVC) or Chlorinated Poly (Vinyl Chloride) (CPVC) Systems.

MATERIAL – LASCO Schedule 80 Fittings are produced from PVC Type 1, Cell Classification 12454- B. - O-Rings are produced from a fluorocarbon elastomer (VITON).

LISTINGS – NSF (National Sanitation Foundation) for potable water services.

## Standard Terms and Conditions of Sale

1. Terms: 2% 35 days, net 45 days.
2. Freight: FOB LASCO warehouses. Prepaid on orders totaling \$1500 net for one shipment to single destination within the contiguous United States.
3. Minimum Order: \$100 net. Smaller orders billed at this minimum charge.
4. Claims for shipping errors must be made within 15 days to LASCO. Claims for damage or shortages should be directed promptly to the common carrier by the consignee.
5. Returns will be accepted only by prior authorization and if shipped freight prepaid. Returned merchandise subject to a MINIMUM 25% handling/restocking charge.
6. Pricing is subject to change without prior notice. However, prior notification will be given in the event of price changes in the period between order placement and scheduled shipment.
7. Offer to sell is not implied by possession of this or other LASCO price lists.

Please visit our website: [www.lascofittings.com](http://www.lascofittings.com)